


**Window shutters from Griesser.
Wing shutters traditional**





Wing shutters traditional

The clamps are fastened to the wall for wall or masonry assembly. When in the closed position, the window shutters can be positioned on the wall or in the reveal. This installation is also possible for insulated facades. The armature is adjusted on site to the construction specifications, such as stucco or shingle facade.





JustierFix
Window shutters can be installed
from inside the building.



Product Highlights Wing Shutters traditional

SystemFix
Easy adaption of the sash



PRODUCT ADVANTAGES IN DETAIL

Saving time thanks to SystemFix pre-assembly

Forget drills, rivet guns and installation templates - you can install all fittings on the shutters quickly and easily using only a screwdriver. No dirt, and the fitters will be done in no time. Also, SystemFix 3D allows adjusting the offset and is thus the perfect system for retrofitting projects. Installation frames come with SystemFix pre-assembled as a standard.



Saving time thanks to JustierFix pre-assembly

This patented system permits installing the shutters from the inside of the building so that there's no need for scaffolding or ladders, thus reducing the costs. This fitting solution is also adjustable in all three axes; unlike with SystemFix, the hinge is limited to an adjusting range of +/- 12 mm in the Y-axis. The armatures are preinstalled as standard.



Long band pre-installation

Long bands for typical French armature installation are available for Model Series F and G ISO.

The long bands are fastened to the sashes in the respective lengths with rivets; optionally available are also corresponding counterparts for the interior side of the sash. Available as straight or cranked models.




WINDOW SHUTTER TYPES: BASIC MODEL OVERVIEW


Fixed slats




Model A (slats slightly open)



Model R (slats open)



Model T (slats closed)



Model EZ (slats slightly open)



Flexible slats



Model B



B-A

B-C


B-CH
(H/V)

B-C-B

C-B-C



Model E



E-C

C-E-C

E-C-E

Key




Hail-resistant

Standard: Sashes with a filling and/or partition.
Option: Sashes with two or three fillings and/or partitions.

Fillings



Model CH




CH-H

CH-V

Model CH (vertical or horizontal possible)




Model C



C




Model F




F-B

F-Z



Model G ISO (with insulation)



G-B

G-Z

Standard: Sashes with a filling and/or partition.
Option Model F and G: With bar at top and bottom or z-shaped



Key



Hail-resistant



SPECIAL FORMS



Vertical frieze



Fashioned as segmental arch



Hollow construction half-round arch




Beveling




Sliding arm



Blind installation



Lasered-out forms



Fitted decorative plates

Please note that not every special shape can be used with every basic model. The special shapes of the lasered-out forms and attached ornamental plates is possible only with basic model C or in combinations with this model.

FASTENERS

Espagnolette round



Rod lock 2F



Snap lock



Shutter middle lock






Pull stays



Shutter rake and venetian blind rod



Key

-  available in all colors
-  available in black and white
-  available in black

RETENTION ELEMENT

Shutter holder



Lady's head



Shutter latches



Shutter holders



Shutter holder, automatic



Door casement holder



Snap holder



Convenience casement holder



Type 1 | Standard window



Type 3 | Standard door



Type 2 | Option window

CLAMP

Screw clamp



Plate piston



Universal clamp






Polygond



Screen frame piston



Key

-  available in all colors
 -  available in black and white
 -  available in black
-

BANDS

SystemFix, external wall installation



SystemFix, screen frame installation



JustierFix, external wall installation



Long band











CONTROL – THE AUTOMATIC CHOICE.

Griesser offers functional solutions for the automation of swinging shutters that combine convenience and reliability and that clearly support the company's claim to be the innovation leader in window shutters.

Yslo Flex RTS is suitable for installing into the window reveal for 1 or 2 paneled swinging shutters.

Yslo Flex RTS – the flexible solution for conventional swinging shutters

More comfort – every day

Just a push of the button and the swinging shutters open or close – the inconvenient opening of the window is a thing of the past.

More safety

A central command closes all swinging shutters at once. It's even possible to program a daily schedule to simulate the presence of people.

Protecting value

Protects swinging shutters from wear

Every panel is controlled by a separate motor, which guarantees gentle and protective wing movement.

Even when it is very windy, the panels stay tightly in position.

HOUSING COLORS

Brown RAL 8014

White RAL 9016



ARM AND GUIDE RAIL COLORS

Black RAL 9005



COLORS

The colors of our window roller shutters should reflect your wishes, lend distinction to the character of the architecture and create a personal atmosphere. These wishes are a daily challenge to our developers, planners and lacquerers.

Powder coating

The powder coating of aluminum has proven to be an environmentally friendly, cost-appropriate and long-lasting alternative to lacquering. It is resistant to both impacts and weather.

RAL, NCS, VSR and Metallic colors as well as wood decor

The wide color spectrum from Griesser leaves nothing to be desired. Select your desired color from our two standard color collections GriColors and GriRal Colors and lend your building an individual note.

Surfaces Variety for every purpose

With the aid of a special coating process, Griesser window roller shutters can be produced in a variety of surface appearances such as smooth and finely structured. The surface structure provides the color or the decor once again with a new appearance.

Wood materials, facade plates and textiles

In addition to the colors, a variety of structures is also possible. The unique feature here is the wood decor: It convinces not only by its astoundingly true-to-nature appearance, but also by its convincing weather resistance.

Special combinations of materials also contribute to the great variety of Griesser window roller shutters. From individually printable fabric covers made of Soltis textile to slat versions made of natural wood, Plexiglas or Fundermax – there are practically no limits to fulfilling customer preferences.

SURFACE STRUCTURE

GRICOLORS

Semi-gloss



SURFACE STRUCTURE

GRIRAL COLORS

Semi-gloss

Fine structure-matte



Your partner:

Griesser solar shading – Quality since 1882.
www.griessergroup.com



Subject to changes, factual and typographical errors excepted

V09.15